

Talen en Automaten, NWI-IPC002


Retake exam, Wed 13th Apr, 2016

18:00 – 21:00

This test consists of **six** exercises over **2** pages. Explain your approach. You can score a maximum of 100 points, and each question indicates how many points it is worth. The test is closed book. You are **NOT** allowed to use a calculator, a computer or a mobile phone. You may answer in Dutch or in English. Please write clearly, and do not forget to put on each page: your name and your student number.

Notation Throughout the test, we denote for any alphabet A and $a \in A$ by $|w|_a$ the number of a 's in the word $w \in A^*$, as it was introduced in the lecture.

1. Consider the regular expression $e_1 = (a+b)^*(b+c)^*(c+a)^*$ over the alphabet $\Sigma = \{a, b, c\}$.
 - a) Give the shortest word over Σ that is *not* in $\mathcal{L}(e_1)$ and explain your answer. **(5pt)**
 - b) Construct a nondeterministic automaton with λ -transitions, i.e. an NFA_λ , that accepts $\mathcal{L}(e_1)$. Explain your answer. **(7pt)**
2. Consider the language $L_2 = \{w \mid w \text{ contains the substring } \text{bbb}\}$ over the alphabet $\Sigma = \{a, b\}$. Here, u is a substring of w , if $w = xuy$ for some words x, y .
 - a) Give a regular expression for L_2 and explain your answer. **(6pt)**
 - b) Give a deterministic finite automaton (DFA) that accepts L_2 . **(6pt)**
 - c) Give a regular grammar that generates L_2 . **(3pt)**
3. Let M_3 be the NFA_λ over the alphabet $\{a, b, c\}$ and the following state diagram:



- a) Compute a regular expression e_3 such that $\mathcal{L}(e_3) = \mathcal{L}(M_3)$ using the elimination-of-states algorithm. **(5pt)**
- b) Construct a DFA (deterministic finite automaton) M'_3 using the subset construction that accepts the same language as M_3 . Label the states in M'_3 so that it is clear which states in M_3 they correspond to. **(8pt)**

4. Let G_4 be the following context free grammar over the alphabet $\Sigma = \{a, b, c\}$.

$$\begin{aligned} S &\rightarrow aS \mid ASA \mid SC \mid \lambda \\ A &\rightarrow abA \mid \lambda \\ C &\rightarrow cC \mid \lambda \end{aligned}$$

- a) Give a leftmost derivation in G_4 of $abacab$. (3pt)
- b) Is this grammar ambiguous? Explain your answer. (3pt)
- c) Is $\{w \in \Sigma^* : |w|_b \leq |w|_a\} \subseteq \mathcal{L}(G_4)$? Explain your answer. (4pt)
- d) For which $m, n, k \geq 0$ do we have $a^m b^n c^k \in \mathcal{L}(G_4)$? Explain your answer. (4pt)

5. Let L_5 be the language

$$L_5 = \{wav \mid w, v \in \{a, b\}^* \text{ and } |w| \leq |v|\}.$$

- a) Give a context-free grammar G_5 that generates L_5 . (7pt)
- b) Provide derivations in G_5 of the words: $abbb$, $bbaaaa$, $baaaab$. (3pt)
- c) Give a pushdown automaton M_5 that accepts L_5 . (8pt)
- d) Provide accepting computations of M_5 of the words: aab , aba , $babaaa$. (3pt)
- e) Prove that L_5 is not regular. (10pt)

6. Let $M_6 = (Q, \Sigma, \Gamma, \delta, q_0, F)$ be the PDA with

$$\begin{aligned} Q &= \{q_0, q_1, q_2\} & \delta(q_0, a, \lambda) &= \{(q_0, A)\} \\ \Sigma &= \{a, b, c\} & \delta(q_0, a, A) &= \{(q_0, \lambda)\} \\ \Gamma &= \{A, B, C\} & \delta(q_0, \lambda, \lambda) &= \{(q_1, \lambda)\} \\ F &= \{q_0\} & \delta(q_1, b, \lambda) &= \{(q_1, B)\} \\ & & \delta(q_1, c, B) &= \{(q_2, C)\} \\ & & \delta(q_2, \lambda, C) &= \{(q_0, \lambda)\} \end{aligned}$$

- a) Draw the state diagram of M_6 . (6pt)
- b) Check which of the following words are in $\mathcal{L}(M_6)$ and explain your answer by giving a computation or showing that there is none: $aaaa$, abc , $abbcca$. (3pt)
- c) Describe $\mathcal{L}(M_6)$ using set notation. That is, write (6pt)

$$\mathcal{L}(M_6) = \{\dots\},$$

with \dots a precise mathematical description of the words accepted by M_6 .