

Semantics and Domain theory

Exercises 1

At the lecture, we gave a denotational semantics for the language L given by the grammar

$$\begin{aligned} b : \text{bit} & ::= \mathbf{0} \mid \mathbf{1} \\ n : \text{bin} & ::= b \mid n b \end{aligned}$$

NB $\mathbf{0}$ and $\mathbf{1}$ are symbols, not the numbers.

The semantics is given by the model \mathbf{N} , the natural numbers, and the interpretation

$$\begin{aligned} \llbracket \mathbf{0} \rrbracket & := 0 \\ \llbracket \mathbf{1} \rrbracket & := 1 \\ \llbracket n b \rrbracket & := 2 * \llbracket n \rrbracket + \llbracket b \rrbracket \end{aligned}$$

In the lecture, we have recursively defined the operation $O(n)$, which prefixes a binary numeral n with a leading $\mathbf{0}$ as follows.

$$\begin{aligned} O(\mathbf{0}) & := \mathbf{00} \\ O(\mathbf{1}) & := \mathbf{01} \\ O(n b) & := O(n) b \end{aligned}$$

We have given an operational semantics \Rightarrow via the rules

$$\frac{}{\mathbf{0} \Rightarrow \mathbf{00}} \quad \frac{}{\mathbf{1} \Rightarrow \mathbf{01}} \quad \frac{n \Rightarrow m}{n b \Rightarrow m b}$$

Exercises:

1. Define the operation $S(n)$, which computes the binary numeral which is the successor of n .
2. (a) Give an operational semantics for $S(n)$, in the form of a relation $n \Rightarrow m$ such that $S(n) = m$ iff $n \Rightarrow m$
(b) Prove that $S(n) = m$ iff $n \Rightarrow m$
3. Prove $\llbracket S(n) \rrbracket = \llbracket n \rrbracket + 1$ for all n .
4. (a) Compute the denotational semantics of $S_1 \equiv x := x + 1; y := x + x$
(b) Compute the denotational semantics of $S_2 \equiv \text{if } x > 0 \text{ then } x := 1 \text{ else } x := -1$

NB Your answer should be a "state transformers", i.e. an element of $\text{State} \rightarrow \text{State}$, the set of partial functions from State to State . For us a state is a function from variables to integers, $r : \mathbf{V} \rightarrow \mathbf{Z}$.